



US00D343848S

# United States Patent [19]

[11] Patent Number: **Des. 343,848**

**Hatakeyama**

[45] Date of Patent: **\*\* Feb. 1, 1994**

[54] **35 MM CAMERA**

D. 317,169 5/1991 Isozaki et al. .... D16/218  
D. 323,337 1/1992 Moro et al. .... D16/209  
4,556,304 12/1985 Fukuda ..... 354/288

[75] Inventor: **Chie Hatakeyama, Tokyo, Japan**

[73] Assignee: **Asahi Kogaku Kogyo Kabushiki Kaisha, Tokyo, Japan**

[\*\*] Term: **14 Years**

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas

[21] Appl. No.: **930,050**

### [57] CLAIM

[22] Filed: **Aug. 18, 1992**

The ornamental design for a 35 mm camera, as shown and described.

### [30] Foreign Application Priority Data

### DESCRIPTION

Feb. 19, 1992 [JP] Japan ..... 4-4449

[52] U.S. Cl. .... **D16/218; D16/200**

[58] Field of Search ..... 354/126, 127.11, 149.11, 354/202, 288; D16/200-205, 208, 209, 216-218

FIG. 1 is a top, front and left side perspective view of a 35 mm camera with the lens cover in a closed position showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a right side elevational view thereof;

FIG. 5 is a rear side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 306,306 2/1990 Robinson et al. .... D16/200

D. 311,016 10/1990 Tanaka et al. .... D16/209




FIG. 1







FIG. 2




*FIG. 3*




*FIG. 4*



*FIG. 5*



*FIG. 6*



*FIG. 7*

