



US00D343852S

United States Patent [19]
Haung

[11] **Patent Number: Des. 343,852**

[45] **Date of Patent: ** Feb. 1, 1994**

[54] **TRIPOD HEAD**

[76] **Inventor: Yee M. Haung, 5 F, No. 151, Nan Da Rd., Hsinchu, Taiwan**

[**] **Term: 14 Years**

[21] **Appl. No.: 680,285**

[22] **Filed: Apr. 4, 1991**

[52] **U.S. Cl. D16/245**

[58] **Field of Search 248/183-185;
354/293-295; D16/244, 245**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 262,635	1/1982	Iwasaki		D16/245
D. 265,481	7/1982	Iwasaki		D16/245
D. 276,730	12/1984	Nakatani		D16/245
D. 289,899	5/1987	Iwasaki		D16/245
D. 294,150	2/1988	Iwasaki		D16/245

Primary Examiner—Bernard Ansher

Assistant Examiner—Adir Aronovich

Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**

The design for a tripod head, as shown and described above.

DESCRIPTION

FIG. 1 is a perspective view of my new design for a tripod head;

FIG. 2 is a front view of my new design;

FIG. 3 is a rear view of my new design;


FIG. 4 is a left side view of my new design;

FIG. 5 is a right side view of my new design;

FIG. 6 is a top view of my new design; and,

FIG. 7 is a bottom view of my new design.

The broken line showing the fragmentary leg portion is for illustrative purposes and forms no part of the claim design.







FIG. 3





FIG. 4




FIG. 5

FIG. 6




FIG. 7

