



US00D343864S

United States Patent [19]

[11] Patent Number: **Des. 343,864**

Rebong

[45] Date of Patent: **** Feb. 1, 1994**

[54] **COMBINED MESSAGE-RETAINING
MAGNET AND RUBBER STAMP**

D. 315,246	3/1991	Drake	D21/168 X
D. 316,404	4/1991	Calleja	D21/168 X
4,924,773	5/1990	Gwilliam	D18/15 X
5,178,067	1/1993	Collier	101/405

[76] Inventor: **Mark F. Rebong, 69 Georges Hill Rd., Newtown, Conn. 06470**

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martie Thompson
Attorney, Agent, or Firm—Lawrence Hager

[**] Term: **14 Years**

[21] Appl. No.: **890,485**

[57] **CLAIM**

[22] Filed: **Jun. 1, 1992**

The ornamental design for a combined message-retaining magnet and rubber stamp, as shown and described.

[52] U.S. Cl. **D19/36; D18/15; D19/65; D19/90; D21/168**

DESCRIPTION

[58] Field of Search 101/405, 406, 327; 401/88; D21/166, 168; D19/35, 36, 65, 75, 70, 71, 86, 90, 99, 100


FIG. 1 is a front elevational view of a combined message-retaining magnet and rubber stamp showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 279,386	6/1985	Dunn	D19/91
D. 279,388	6/1985	Dunn	D19/91
D. 280,754	9/1985	Zacherle et al.	D21/166

FIG. 2 is a left side elevational view;
FIG. 3 is a right side elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a top plan view; and,
FIG. 6 is a bottom plan view thereof.






Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 6