



US00D343864S

United States Patent [19]
Rebong

[11] **Patent Number: Des. 343,864**
[45] **Date of Patent: ** Feb. 1, 1994**

[54] **COMBINED MESSAGE-RETAINING
MAGNET AND RUBBER STAMP**
[76] **Inventor: Mark F. Rebong, 69 Georges Hill
Rd., Newtown, Conn. 06470**
[**] **Term: 14 Years**
[21] **Appl. No.: 890,485**
[22] **Filed: Jun. 1, 1992**
[52] **U.S. Cl. D19/36; D18/15;
D19/65; D19/90; D21/168**
[58] **Field of Search 101/405, 406, 327;
401/88; D21/166, 168; D19/35, 36, 65, 75, 70,
71, 86, 90, 99, 100**

D. 315,246 3/1991 Drake D21/168 X
D. 316,404 4/1991 Calleja D21/168 X
4,924,773 5/1990 Gwilliam D18/15 X
5,178,067 1/1993 Collier 101/405

Primary Examiner—Nelson C. Holtje
Assistant Examiner—Martie Thompson
Attorney, Agent, or Firm—Lawrence Hager


[57] **CLAIM**

The ornamental design for a combined message-retain-
ing magnet and rubber stamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined mes-
sage-retaining magnet and rubber stamp showing my
new design;
FIG. 2 is a left side elevational view;
FIG. 3 is a right side elevational view;
FIG. 4 is a rear elevational view;
FIG. 5 is a top plan view; and,
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 279,386 6/1985 Dunn D19/91
D. 279,388 6/1985 Dunn D19/91
D. 280,754 9/1985 Zacherle et al. D21/166






Fig. 2




Fig. 1




Fig. 3




Fig. 4




Fig. 5




Fig. 6