



US00D344002S

# United States Patent [19]

[11] Patent Number: **Des. 344,002**

McKinney et al.

[45] Date of Patent: **\*\* Feb. 8, 1994**

## [54] SCREWDRIVER

[75] Inventors: **Phil McKinney, LaGrange, Ky.;  
Timothy Miller, Lincolnton, N.C.;  
David Springstroh, Louisville, Ky.**

[73] Assignee: **Vermont American Corporation,  
Louisville, Ky.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **771,933**

[22] Filed: **Oct. 4, 1991**

[52] U.S. Cl. .... **D8/82**

[58] Field of Search ..... **D8/82, 83, 84;  
81/177.1, 436, 441, 460, 461**

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 41,896	11/1911	Roberts	.....	D8/82
D. 154,644	4/1948	Skamsner et al.	.....	D8/82
190,459	5/1877	Wilkinson	.....	81/489
D. 229,475	12/1973	Uboldi	.....	D8/82
D. 261,610	11/1981	Fee et al.	.....	D8/82
D. 261,980	11/1981	Fee et al.	.....	D8/82
D. 261,981	11/1981	Fee et al.	.....	D8/82
D. 310,472	9/1990	Mader et al.	.....	D8/82
D. 312,563	12/1990	Hillinger	.....	D8/82
1,738,405	12/1929	Thal	.....	81/436
1,888,222	11/1932	Curtis et al.	.....	81/436
2,323,018	6/1943	Vellier	.....	81/436
2,808,088	10/1957	Whiteford	.....	81/492
2,871,899	2/1959	Coyle et al.	.....	81/177.1
3,586,080	6/1971	Slany	.....	81/177.1
4,187,892	2/1980	Simmons	.....	81/177.1
4,290,465	9/1981	Fee et al.	.....	81/177.1
4,951,533	8/1990	Hillinger	.....	81/177.1

## FOREIGN PATENT DOCUMENTS

26619 8/1900 Austria ..... 81/436

## OTHER PUBLICATIONS

Jomax Catalog Publication, Nov. 1967, p. 29, Screwdrivers.

Stanley Catalog, 1971-1972, pp. 85 and 88, Screwdrivers, Model 100 Plus No. 2912.

Sears Catalog, 1990, p. 29, #9 Craftsman Screwdrivers.

Primary Examiner—Bernard Ansher

Assistant Examiner—P. Hyder

Attorney, Agent, or Firm—Middleton & Reutlinger

## [57] CLAIM

The ornamental design for a screwdriver, as shown and described.

## DESCRIPTION

FIG. 1 is a side elevational view of a screwdriver made in accordance with our design;

FIG. 2 is a side elevational view taken at 45 degrees offset from FIG. 1;

FIG. 3 is a side elevational view taken at 90 degrees offset from FIG. 1;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a side elevational view of another embodiment of said screwdriver made in accordance with our design;

FIG. 7 is a side elevational view taken at 45 degrees from FIG. 6;

FIG. 8 is a side elevational view taken at 90 degrees offset from FIG. 6;

FIG. 9 is a top plan view of FIG. 6; and,

FIG. 10 is a bottom plan view of FIG. 6.






FIG. 4




FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 9




FIG. 6




FIG. 7




FIG. 8




FIG. 10