



US00D344025S

# United States Patent [19]

[11] Patent Number: **Des. 344,025**

**Shimamura**

[45] Date of Patent: **\*\* Feb. 8, 1994**

[54] **CLOCK**

[75] Inventor: **Katsumi Shimamura**, Tokyo, Japan

[73] Assignee: **Seikosha Co., Ltd.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **641,105**

[22] Filed: **Jan. 11, 1991**

[52] U.S. Cl. .... **D10/22; D10/6**

[58] Field of Search ..... **368/232, 285, 276-277, 368/239-242, 82-84, 280-282; D10/1-40, 122-126**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 34,162	3/1901	Chiericati .....	D10/6 X
154,717	9/1874	Robert .....	D10/22 X
D. 177,956	6/1956	Avis .....	D10/22 X
D. 321,662	11/1991	Wada .....	D10/28 X

**OTHER PUBLICATIONS**

*European Jeweler*-Mar. 1983-p. 109-Watch at right.

*Primary Examiner*-Nelson C. Holtje  
*Attorney, Agent, or Firm*-Bruce L. Adams; Van C. Wilks

[57] **CLAIM**

The ornamental design for a clock, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a clock showing my new design with the digital display in a dennergized state;

FIG. 2 is a rear elevational view thereof;


FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; and,

FIG. 7 is a front right perspective view thereof with the digital display in a representative energized state.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6



*FIG. 7*