



US00D344036S

United States Patent [19]

Yuen

[11] Patent Number: Des. 344,036

[45] Date of Patent: ** Feb. 8, 1994

[54] COMBINED TRANSMITTER AND RECEIVER FOR A DOOR CHIME

[75] Inventor: John S. Yuen, Kowloon, Hong Kong

[73] Assignee: John Manufacturing Limited, Kowloon, Hong Kong

[**] Term: 14 Years

[21] Appl. No.: 875,133

[22] Filed: Apr. 29, 1992

[30] Foreign Application Priority Data

Oct. 30, 1991 [GB] United Kingdom 2018652

[52] U.S. Cl. D10/118

[58] Field of Search 340/38 AR, 384 E, 386, 340/392, 393, 404, 405, 406, 407; D10/104, 116, 117, 118, 121

[56] References Cited

U.S. PATENT DOCUMENTS

D. 201,593 7/1965 Stevenson D10/118
D. 275,088 8/1984 Kachi et al. D10/118
D. 281,865 12/1985 Abel D10/106
D. 294,471 3/1988 Levin et al. D10/118
4,837,559 6/1989 Green, Sr. 340/571

Primary Examiner—Wallace R. Burke

Assistant Examiner—Marcus Jackson

Attorney, Agent, or Firm—Fay, Sharpe, Beall, Fagan, Minnich & McKee

[57] CLAIM

The ornamental design for a combined transmitter and receiver for a door chime, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a combined transmitter and receiver for a door chime showing my new design;

FIG. 2 is a rear elevational view of the transmitter thereof;

FIG. 3 is a left side elevational view of the transmitter, the right side being a mirror image thereof;

FIG. 4 is a top plan view of the transmitter thereof;

FIG. 5 is a bottom plan view of the transmitter thereof;

FIG. 6 is a rear elevational view of the receiver thereof;

FIG. 7 is a left side elevational view of the receiver thereof;

FIG. 8 is a right side elevational view of the receiver thereof; and,

FIG. 9 is a top plan view of the receiver, the bottom plan view being a mirror image thereof.





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

