



US00D344088S

United States Patent [19]

Tuggle et al.

[11] Patent Number: Des. 344,088

[45] Date of Patent: ** Feb. 8, 1994

- [54] POWER HEAD FOR A FLEXIBLE LINE TRIMMER
- [75] Inventors: Lloyd H. Tuggle, Shreveport; Jeff G. Sadler, Greenwood; Mike Shoup, Shreveport, all of La.
- [73] Assignee: WCI Outdoor Products, Inc., Cleveland, Ohio
- [**] Term: 14 Years
- [21] Appl. No.: 948,786
- [22] Filed: Sep. 22, 1992
- [52] U.S. Cl. D15/1; D8/8; D15/18
- [58] Field of Search D8/8; 30/276, 347, 390, 30/DIG. 5; 56/12.7, 234, 239, 249, 255, 289; D15/1, 14-18; D32/15

- [56] References Cited
- U.S. PATENT DOCUMENTS
- | | | | |
|------------|---------|----------------------|---------|
| D. 274,620 | 7/1984 | Murakami et al. | D15/1 |
| D. 304,196 | 10/1989 | Tuggle et al. | D15/1 |
| D. 320,398 | 10/1991 | Clivio | D15/16 |
| D. 324,051 | 2/1992 | Tuggle et al. | D8/8 |
| D. 332,455 | 1/1993 | Whetsel | D15/16 |
| D. 333,954 | 3/1993 | Karlsson et al. | D8/8 |
| D. 335,674 | 5/1993 | Hoshino | D15/16 |
| 4,286,675 | 9/1981 | Tuggle | 173/163 |

- | | | | |
|-----------|--------|------------------------|-----------|
| 4,404,706 | 9/1983 | Loyd | 15/344 |
| 4,451,983 | 6/1984 | Johnson et al. | 30/276 |
| 4,651,422 | 3/1987 | Everts | 30/347 |
| 4,819,742 | 4/1989 | Driggers | 173/162.2 |
| 4,825,548 | 5/1989 | Driggers | 30/276 |
| 4,841,929 | 6/1989 | Tuggle et al. | 123/198 E |
| 4,860,451 | 8/1989 | Pilatowicz et al. | 30/276 |
| 4,916,886 | 4/1990 | Nakamura et al. | D15/16 |
| 5,175,932 | 1/1993 | Lange et al. | 30/276 |


Primary Examiner—Bernard Ansher
Assistant Examiner—Sandra Morris
Attorney, Agent, or Firm—Hubbard, Thurman, Tucker, & Harris


[57] CLAIM

The ornamental design for a power head for a flexible line trimmer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a power head for a flexible line trimmer showing new design; FIG. 2 is a left side elevational view thereof; FIG. 3 is front elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a rear elevational view thereof; FIG. 6 is a top elevational view thereof; and, FIG. 7 is a bottom elevational view thereof. The portion of the flexible line trimmer shown by broken lines in FIG. 1 is for illustrative purposes only and forms no part of the claimed design.








FIG. 3




FIG. 2




FIG. 5




FIG. 4




FIG. 7




FIG. 6