



US00D344244S

United States Patent [19]

[11] Patent Number: **Des. 344,244**

Jones et al.

[45] Date of Patent: **** Feb. 15, 1994**

[54] **TOILET COVER AND SEAT POSITION SIGNAL COMBINED WITH A SENSOR**

4,521,919 6/1985 Molloy .
4,849,742 7/1989 Warrington .

[76] Inventors: **Wallace M. Jones; Linda Jones**, both of 12 Ash Ct., Hempstead, N.Y. 11550

OTHER PUBLICATIONS

Design 478, Oct. 1988, p. 26, top-Stereo system.

[**] Term: **14 Years**

Primary Examiner—Theodore M. Shooman
Attorney, Agent, or Firm—Terry M. Gernstein

[21] Appl. No.: **624,247**

[57] CLAIM

[22] Filed: **Dec. 7, 1990**

The ornamental design for a toilet cover and seat position signal combined with a sensor, as shown and described.

[52] U.S. Cl. **D10/104**

[58] Field of Search D14/124, 158, 160, 161, D14/167, 189, 217, 260, 299; D23/311, 312, 303, 309; D10/104, 106, 109, 121, 116

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

D. 200,409	2/1965	Zimmerman	D14/260
D. 235,749	7/1975	Sullivan	D10/121
D. 274,707	7/1984	French	D10/104
D. 317,135	5/1991	Novack	D23/311 X
D. 332,787	1/1993	Davis	D14/160
4,491,991	1/1985	Herbruck	.	

FIG. 1 is an exploded perspective view of the toilet cover and seat position signal combined with a sensor showing our new design;


FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a side elevational view thereof;

FIG. 5 is a side elevational view thereof; and,

FIG. 6 is a top plan view thereof, the bottom view being a mirror image of the top view shown in FIG. 6.








FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6