



US00D344438S

# United States Patent [19] Wood

[11] Patent Number: **Des. 344,438**

[45] Date of Patent: **\*\* Feb. 22, 1994**

[54] **DRILL STAND**

4,278,371 7/1981 Meyer ..... 408/710  
4,604,006 8/1986 Shoji .  
5,035,547 7/1991 Shoji .

[75] Inventor: **Brian H. Wood, Sheffield, England**

[73] Assignee: **Rotabroach, Ltd., England**

[\*\*] Term: **14 Years**

[21] Appl. No.: **658,286**

[22] Filed: **Feb. 19, 1991**

[30] **Foreign Application Priority Data**

Aug. 24, 1990 [GB] United Kingdom ..... 2009.181

[52] U.S. Cl. .... **D8/71; D8/70**

[58] Field of Search ..... 408/4, 76, 135, 710;  
409/178; 248/667; 269/1, 902; D8/58, 70, 71;  
D15/132, 141

[56] **References Cited**

### U.S. PATENT DOCUMENTS

D. 290,220 6/1987 Eckman ..... D8/71  
D. 290,463 6/1987 Pelfrey et al. .... D15/132  
4,261,673 4/1981 Hougen ..... 408/76


*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis

### [57] CLAIM

The ornamental design for a drill stand, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of the drill stand with drill attached;  
FIG. 2 is a rear perspective view of the drill stand with drill attached;  
FIG. 3 is an elevational view of one side of the drill stand with drill attached;  
FIG. 4 is a plan view of the drill stand with drill attached; and,  
FIG. 5 is an inverted plan view of the drill stand with drill attached.  
The broken line showing of a drill is for illustrative purposes only and forms no part of the claimed design.






FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5