



US00D344513S

# United States Patent [19]

Taniuchi et al.

[11] Patent Number: **Des. 344,513**

[45] Date of Patent: **\*\* Feb. 22, 1994**

[54] **COMBINATION TELEPHONE, FACSIMILE, STILL PICTURE TELEVISION INFORMATION COMMUNICATION APPARATUS FOR HOME OR OFFICE USE**

[75] Inventors: **Takeshi Taniuchi; Kozo Shima**, both of Kamakura, Japan; **Gregory S. Breiding**, Columbus; **Spencer B. Murrell**, Delaware, both of Ohio

[73] Assignee: **Mitsubishi Denki Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **677,741**

[22] Filed: **Mar. 29, 1991**

[52] U.S. Cl. .... **D14/144; D14/118; D14/130**

[58] Field of Search ..... 379/100, 419, 428, 440, 379/441; D14/100, 101, 106, 118, 130, 140, 144, 142, 149-151, 240, 241; D21/111

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 299,031 12/1988 Sugano ..... D14/106
- D. 305,423 1/1990 Gilmore et al. .... D14/142 X
- D. 323,156 1/1992 Nishida ..... D14/101
- D. 324,036 2/1992 Wakasa ..... D14/101

- D. 330,015 10/1992 Yoshihara ..... D14/101
- D. 333,304 2/1993 Tanichi et al. .... D14/130
- D. 333,466 2/1993 Chung ..... D14/144 X
- 4,914,281 4/1990 Benton et al. .... D14/118 X
- 5,183,431 2/1993 Todokoro ..... 379/100 X

*Primary Examiner*—Nelson C. Holtje  
*Assistant Examiner*—Jeffrey Asch  
*Attorney, Agent, or Firm*—Rothwell, Figg, Ernst & Kurz

[57] **CLAIM**

The ornamental design for a combination telephone, facsimile and still picture television information communication apparatus for home or office use, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a combination telephone, facsimile and still picture television information communication apparatus for home or office use showing our new design;

FIG. 2 is a rear elevation view of the design;

FIG. 3 is a left side elevational view of the design;

FIG. 4 is a right side elevation view of the design;

FIG. 5 is a top plan view of the design;

FIG. 6 is a bottom plan view of the design; and,

FIG. 7 is a perspective view of the design showing the apparatus supported by its stand and the hand-set removed from the main body of the apparatus.




FIG. 3




FIG. 2





FIG. 1






FIG. 5




FIG. 6




FIG. 4



FIG. 7

