

### US00D344677S

# United States Patent [19]

## **Bareiss**

# [11] Patent Number: Des. 344,677

[45] Date of Patent: \*\* Mar. 1, 1994

[54]	COMBINED BOTTLE AND CAP			
[76]	Inventor:	Raymond E. Bareiss, 1033 Stillman, Eugene, Oreg. 97404		
[**]	Term:	14 Years		
[21]	Appl. No.:	821,616		
<b>–</b>		Jan. 14, 1992 D9/529; D9/516;		
[58]	D9/57 Field of Search			
[56]		References Cited		

) Itererences Cites					
U.S. PATENT DOCUMENTS					
D. 103,051	2/1937	Higgins	D9/512 X		
D. 263,281	3/1982	Smith	<b>D9/529</b>		
D. 302,659	8/1989	Peterson et al	<b>D9/529</b>		
D. 310,483	9/1990	De Giovellina	<b>D</b> 9/529		
		Dinand			
		Plunkett			

Primary Examiner—Bernard Ansher
Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.

### DESCRIPTION

FIG. 1 is a top, front and right side perspective view of the combined bottle and cap showing my new design, the top, rear and left side perspective view being identical thereto;

FIG. 2 is a top, front and left side perspective view thereof, the top, rear and right side perspective view being identical thereto;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 6 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to

FIG. 5, and is identical to the elevation view thereof when rotated an additional 180 degrees;

FIG. 7 is a left side elevation view thereof; which is identical to the right side elevation view thereof;

FIG. 8 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 7, and is identical to the elevation view thereof when rotated an additional 180 degrees;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap, the top, rear and left side perspective view being identical thereto;

FIG. 11 is a top, front and left side perspective view thereof, the top, rear and right side perspective view being identical thereto;

FIG. 12 is a top plan view thereof which is identical to the bottom plan view thereof;

FIG. 13 is a front elevation view thereof shown in an exploded condition;

FIG. 14 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 13 and is identical to the elevation view thereof when rotated an additional 180 degrees;

FIG. 15 is a left side elevation view thereof, which is identical to the right side elevation view thereof;

FIG. 16 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 15, and is identical to the elevation view thereof when rotated an additional 180 degrees;


FIG. 17 is a rear elevation view thereof;


FIG. 18 is a bottom plan view of the cap of the first embodiment shown without the bottle for clarity of illustration;

FIG. 19 is a top plan view of the bottle of the first embodiment shown without the cap for clarity of illustration;

FIG. 20 is a bottom plan view of the cap of the second embodiment shown without the bottle for clarity of illustration; and,

FIG. 21 is a top plan view of the bottle of the second embodiment shown without the cap for clarity of illustration.





Mar. 1, 1994

FIG. 8




FIG. 9




FIG. 10




FIG. 12





FIG. II



F1G. 13




FIG. 14




FIG. 15




FIG. 16





FIG. 17



F1G. 18




FIG. 20




FIG. 19




FIG. 21

