



US00D344685S

United States Patent [19]

[11] Patent Number: **Des. 344,685**

Caporale

[45] Date of Patent: **** Mar. 1, 1994**

[54] **INFLATABLE EMERGENCY DISTRESS MARKER FOR VEHICLES**

2,762,327	9/1956	Weig	40/612
2,808,803	10/1957	Weig	40/612
2,975,534	3/1961	Lutz	116/DIG. 9
3,105,459	10/1963	Conn	116/173
4,815,677	3/1989	Rushing et al.	116/DIG. 9

[76] Inventor: **Eugene R. Caporale**, 12671 Coronado Dr., Spring Hill, Fla. 34609

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson

[**] Term: **14 Years**

[21] Appl. No.: **6,907**

[57] **CLAIM**

[22] Filed: **Apr. 8, 1993**

The ornamental design for an inflatable emergency distress marker for vehicles, as shown.

[52] U.S. Cl. **D10/109**

[58] Field of Search 116/63 T, 63 P, 63 C, 116/DIG. 8, DIG. 9, 173, 174, 175; 40/1, 584, 606, 607, 608, 609, 610, 611, 612; D10/104, 109, 111, 113, 114, 115


DESCRIPTION

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,208,445	7/1940	Bates	116/DIG. 9
2,748,256	5/1956	Moran	116/DIG. 9

FIG. 1 is a front elevation view of the inflatable emergency distress marker for vehicles of this invention; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; and, FIG. 6 is a right side elevation view thereof.






Fig. 2




Fig. 3




Fig. 1




Fig. 6




Fig. 5




Fig. 4