



US00D344686S

United States Patent [19]

[11] Patent Number: **Des. 344,686**

Weterrings

[45] Date of Patent: **** Mar. 1, 1994**

[54] **ADJUSTABLE MEASURING CONTAINER**

2,854,849 10/1958 Setecka .
3,690,182 9/1972 Rodriguez .
3,798,975 3/1974 Horst .

[75] Inventor: **Frans M. Weterrings**, Tuscumbia, Ala.

FOREIGN PATENT DOCUMENTS

[73] Assignee: **Robbins Industries, Inc.**, Florence, Ala.

649068 1/1951 United Kingdom .

[**] Term: **14 Years**

OTHER PUBLICATIONS

[21] Appl. No.: **2,222**

Ser. No. 07/740,153, Sep. 17, 1992, Robbins (allowed).

[22] Filed: **Nov. 30, 1992**

Primary Examiner—Terry A. Wallace

[52] U.S. Cl. **D10/46.2**

Attorney, Agent, or Firm—Curtis, Morris & Safford

[58] Field of Search **D7/691, 692;**
73/426-429; D10/46.2, 46.3

[57] CLAIM

The ornamental design for an adjustable measuring container, as shown and described.


[56] References Cited

DESCRIPTION

U.S. PATENT DOCUMENTS

D. 163,681	6/1951	Cottrell	D10/46.3
D. 328,867	8/1992	Watt	.	
2,165,642	7/1939	Mayer	.	
2,389,530	11/1945	Miner	.	
2,396,943	3/1946	Frank	.	
2,496,268	2/1950	Chester	.	
2,555,956	6/1951	Chester	.	
2,569,703	10/1951	Weiland	.	
2,626,526	1/1953	Chester	.	
2,697,353	12/1954	Setecka	.	

FIG. 1 is a top, right side and rear perspective view of the adjustable measuring container in an open position showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a top, left side and front perspective view thereof in an alternate closed position.






FIG. 1

FIG. 2





FIG. 3






FIG. 4



FIG. 5




FIG. 6




FIG. 7