



US00D344721S

United States Patent [19]

[11] Patent Number: **Des. 344,721**

Katada et al.

[45] Date of Patent: **** Mar. 1, 1994**

[54] **IMAGE STORAGE CONVERTOR**

[75] Inventors: **Yoshie Katada, Yokohama; Eiji Sakaguchi, Kawasaki, both of Japan**

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo, Japan**

[**] Term: **14 Years**

[21] Appl. No.: **866,544**

[22] Filed: **Apr. 10, 1992**

[30] **Foreign Application Priority Data**

Oct. 23, 1991 [JP] Japan 3-32094

[52] U.S. Cl. **D14/107**

[58] Field of Search 312/208.1, 223.2, 223.3, 312/194; 360/99.12; 361/390, 395; 369/33; D14/100, 102, 107, 108, 105, 109, 118; D13/162, 184, 199; D18/56, 36, 54, 38, 39

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 241,448 9/1976 Clowe D14/107

D. 309,730 8/1990 Makidera D14/107 X
D. 314,008 1/1991 Takahashi et al. D18/36
D. 315,551 3/1991 Aderman D14/102
D. 333,131 2/1993 Yamamoto D14/107
D. 334,919 4/1993 Hammar et al. D14/109
D. 336,079 6/1993 Nakamura et al. D14/109

Primary Examiner—Wallace R. Burke
Assistant Examiner—Freda S. Nunn
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image storage convertor, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an image storage convertor showing our new design; FIG. 2 is a rear elevational view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side elevational view thereof; FIG. 6 is a right side elevational view thereof; and, FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

