



US00D344803S

United States Patent [19]

[11] Patent Number: **Des. 344,803**

Kato

[45] Date of Patent: **** Mar. 1, 1994**

[54] **BIOFEEDBACK TRAINER FOR MONITORING AND DISPLAYING BRAIN WAVE ACTIVITY**

D. 304,161 10/1989 Nomizu D10/21
4,170,225 10/1979 Griglar et al. 128/732 X
4,819,656 4/1981 Spector 128/905 X

[76] Inventor: **Kazuaki Kato**, 501, 26-10, Hongo 6-chome, Bunkyo-ku, Tokyo 113, Japan

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Bruce L. Adams; Van C. Wilks

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **618,834**

The ornamental design for a biofeedback trainer for monitoring and displaying brain wave activity, as shown and described.

[22] Filed: **Nov. 27, 1990**

[52] U.S. Cl. **D24/186**

DESCRIPTION

[58] Field of Search 128/732, 733, 905, 736; D24/186, 165, 167, 169; D10/21

FIG. 1 is a front elevational view of a biofeedback trainer for monitoring and displaying brain wave activity showing my new design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 249,063 8/1978 James D24/186
D. 250,174 11/1978 Hedgecock D10/21 X
D. 284,696 7/1986 Godden et al. D24/107

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof; and,

FIG. 5 is a right side elevational view thereof, the left side being the same in appearance as the right side.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

