

US00D344894S

United States Patent [19]

Bareiss

[56]

[11] Patent Number: Des. 344,894

[45] Date of Patent: ** Mar. 8, 1994

[54]	COMBINED BOTTLE AND CAP	
[76]	Inventor:	Raymond E. Bareiss, 1033 Stillman, Eugene, Oreg. 97404
[**]	Term:	14 Years
[21]	Appl. No.:	821,617
		Jan. 14, 1992
[58]		rch
_		

U.S. PATENT DOCUMENTS

References Cited

D. 35,322	11/1901	Roth
D. 109,920	5/1938	McIntosh
D. 168,932	3/1953	Frydlender
		De Giovellina
D. 322,398	12/1991	Plunkett
D. 324,817	3/1992	Bareiss
D. 325,342	4/1992	Balavich
D. 333,231		Bareiss
D. 337,223		Bareiss D6/495

Primary Examiner—Bernard Ansher Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of the combined bottle and cap showing my new design; FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 6 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 5;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 7;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 9;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 11;

FIG. 13 is a top, front and left side perspective view thereof;

FIG. 14 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap; FIG. 15 is a top, rear and right side perspective view thereof;

FIG. 16 is a top plan view thereof which is identical to the bottom plan view thereof;

FIG. 17 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 18 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 17;

FIG. 19 is a right side elevation view thereof;

FIG. 20 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 19;

FIG. 21 is a rear elevation view thereof;

FIG. 22 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 21;

FIG. 23 is a left side elevation view thereof;

FIG. 24 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 23;


FIG. 25 is a top, front and left side perspective view thereof;


FIG. 26 is a bottom plan view of the cap of the first embodiment shown without the bottle for clarity of illustration;


FIG. 27 is a top plan view of the bottle of the first embodiment shown without the cap for clarity of illustration;


FIG. 28 is a bottom plan view of the cap of the second embodiment shown without the bottle for clarity of illustration; and,

FIG. 29 is a top plan view of the bottle of the second embodiment shown without the cap for clarity of illustration.














Mar. 8, 1994

















FIG. 22




FIG. 23




FIG. 24





FIG. 25



Mar. 8, 1994

F1G. 26




FIG. 28




FIG. 27




FIG. 29

