



US00D344929S

United States Patent [19]

[11] Patent Number: **Des. 344,929**

Fesmire et al.

[45] Date of Patent: **** Mar. 8, 1994**

[54] POWER SURGE PROTECTOR

[75] Inventors: **James T. Fesmire; James A. Ford,**
both of Greensboro, N.C.

[73] Assignee: **Power Integrity Corp., Greensboro**

[**] Term: **14 Years**

[21] Appl. No.: **818,220**

[22] Filed: **Jan. 8, 1992**

[52] U.S. Cl. **D13/160; D13/164**

[58] Field of Search **361/111, 119, 334, 363,**
361/393, 394, 395; D13/158, 162, 164, 184

[56] References Cited

U.S. PATENT DOCUMENTS

D. 248,391	7/1978	Bartlett	D13/164
4,159,504	6/1989	Cook	361/363 X
4,318,156	3/1982	Gallagher	361/334 X
4,476,554	10/1984	Smith et al.	D13/158 X
4,785,378	11/1988	Hinckley et al.	361/363
5,019,938	5/1991	Sridharan et al.	361/395 X

FOREIGN PATENT DOCUMENTS

0351279 1/1990 European Pat. Off. 361/334
3924161 1/1991 Fed. Rep. of Germany 361/394

Primary Examiner—Wallace R. Burke

Assistant Examiner—J. Sincavage

[57] CLAIM

The ornamental design for power surge protector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a power surge protector showing my new design, the broken line showing is for illustrating environmental elements only and forms no part of the claimed design;


FIG. 2 is a side elevational view thereof; the opposite side elevational view being a mirror image;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.






FIG. 2




FIG. 1




FIG. 3




FIG. 5




FIG. 4

FIG. 6

