



US00D345109S

United States Patent [19]

[11] Patent Number: **Des. 345,109**

Kian et al.

[45] Date of Patent: **** Mar. 15, 1994**

[54] TEMPERATURE TRANSMITTER HOUSING

[75] Inventors: **Ahmad A. Kian, Minneapolis; Paul R. Bedney, Jr., Eagan, both of Minn.**

[73] Assignee: **Rosemount Inc., Eden Prairie, Minn.**

[**] Term: **14 Years**

[21] Appl. No.: **867,930**

[22] Filed: **Apr. 13, 1992**

[52] U.S. Cl. **D10/50**

[58] Field of Search **73/702-705, 73/756; 374/208, 209; D10/50, 49**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 304,692	11/1989	Parker et al.	D10/50 X
D. 304,911	12/1989	Parker et al.	D10/50 X
D. 317,269	6/1991	Selg	D10/52
4,985,938	9/1990	Schwartz et al.	374/208

OTHER PUBLICATIONS

Honeywell, Inc., "STT 3000 Smart Temperature Transmitter", (Sep., 1988) 4 page product brochure.

Primary Examiner—Alan P. Douglas

Assistant Examiner—Antoine D. Davis

Attorney, Agent, or Firm—Westman, Champlin & Kelly

[57] CLAIM

The ornamental design for a temperature transmitter housing, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the top, rear and right side of a temperature transmitter housing showing our new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a rear elevational view thereof; and,

FIG. 6 is a top plan view thereof.

The bottom of the temperature transmitter housing is unadorned.






Fig. 1



Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6