



US00D345119S

United States Patent [19]
Cox

[11] **Patent Number: Des. 345,119**
[45] **Date of Patent: ** Mar. 15, 1994**

[54] **RAILROAD TIE WITH QUICK LOCK SOCKETS**

[76] **Inventor: Jay Cox, 22 W. Hill St., Newcastle, Wyo. 82701**

[**] **Term: 14 Years**

[21] **Appl. No.: 1,886**

[22] **Filed: Oct. 26, 1992**

[52] **U.S. Cl. D12/51**

[58] **Field of Search D8/356; 238/287, 297, 238/298, 310, 338, 349, 115; 248/300; D12/51, 49**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 26,113	9/1896	Terry		D12/49
D. 29,683	11/1898	West		D12/49
D. 30,490	4/1899	Taft		D12/49
D. 246,448	11/1977	Rex		D12/49
D. 274,419	6/1984	Burwell		D12/51

D. 301,129	5/1989	Rex		D12/51
1,817,849	8/1931	Schupp		D12/51
4,286,753	9/1981	Lee		238/27
4,381,076	4/1983	Munier		238/115


Primary Examiner—Wallace R. Burke
Attorney, Agent, or Firm—Terry M. Gernstein

[57] **CLAIM**

I claim the ornamental design for a railroad tie with quick lock sockets, as shown and described.

DESCRIPTION

FIG. 1 is a front, top and side perspective view of the railroad tie with quick lock sockets showing my new design;
FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2;
FIG. 3 is an end elevational view thereof, the end opposite being a mirror image of the end shown in FIG. 3;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5