

## US00D345227S

## United States Patent [19]

## Kramer

[11] Patent Number: Des. 345,227

[45] Date of Patent: \*\* Mar. 15, 1994

[54] MULTI-SHADE ARC BOOM LAMP

[76] Inventor: Barry L. Kramer, 6180 S. St.

Andrews Pl., Los Angeles, Calif.

90047

[\*\*] Term: 14 Years

[21] Appl. No.: 9,771

[22] Filed: Jun. 24, 1993

Related U.S. Application Data

[62] Division of Ser. No. 884,959, May 18, 1992, Pat. No.

Des. 341,000.

362/414; D26/93, 102-112, 128-136

[56] References Cited

**PUBLICATIONS** 

Best Catalog, 1988/89, p. 165, Arc Floor Lamp #14. Hammacher Schlemer Holiday Catalog, p. 68, Banker's Halogen Desk Lamp.

Home Lighting & Accessories, Jul. 1989, p. 109, Easylite Arc Floor Lamp.

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm—Timothy T. Tyson

[57]

The ornamental design for a multi-shade arc boom lamp, as shown and described.

CLAIM

## **DESCRIPTION**

FIG. 1 is a front elevational view of a multishade arc boom lamp showing my new design;

FIG. 2 is a right side elevational view of FIG. 1, the left side elevational view being the mirror image thereof;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is an enlarged top plan view of a single shade of FIG. 1:

FIG. 7 is an enlarged side elevational view of a single shade of FIG. 1;

FIG. 8 is a bottom plan view of a single shade of FIG. 1:

FIG. 9 is a front elevational view of a second embodiment thereof;

FIG. 10 is a right side elevational view of FIG. 9, the left side elevational view being the mirror image thereof;

FIG. 11 is a top plan view of FIG. 9;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is a rear elevational view of FIG. 9;

FIG. 14 is an enlarged top plan view of a single shade of FIG. 9;

FIG. 15 is an enlarged side elevational view of a single shade of FIG. 9;

FIG. 16 is a bottom plan view of a single shade of FIG. 9;

FIG. 17 is a front elevational view of a third embodiment thereof;

FIG. 18 is a right side elevational view of FIG. 17, the left side elevational view being the mirror image thereof;

FIG. 19 is a top plan view of FIG. 17;

FIG. 20 is a bottom plan view of FIG. 17;

FIG. 21 is a rear elevational view of FIG. 17;

FIG. 22 is an enlarged top plan view of a single shade of FIG. 17;

FIG. 23 is an enlarged side elevational view of a single shade of FIG. 17:

FIG. 24 is a bottom plan view of a single shade of FIG. 17;

FIG. 25 is a front elevational view of a fourth embodiment thereof;

FIG. 26 is a right side elevational view of FIG. 25, the left side elevational view being the mirror image thereof;

FIG. 27 is a top plan view of FIG. 25;


FIG. 28 is a bottom plan view of FIG. 25;

FIG. 29 is a rear elevational view of FIG. 25;

FIG. 30 is an enlarged top plan view of a single shade of FIG. 25;

FIG. 31 is an enlarged side elevational view of a single shade of FIG. 25; and,

FIG. 32 is a bottom plan view of a single shade of FIG. 25.



Mar. 15, 1994

