



US00D345228S

United States Patent [19]

[11] Patent Number: **Des. 345,228**

Kramer

[45] Date of Patent: **** Mar. 15, 1994**

[54] MULTI-SHADE ARC BOOM LAMP

[76] Inventor: **Barry L. Kramer**, 6180 S. St. Andrews Pl., Los Angeles, Calif. 90047

[**] Term: **14 Years**

[21] Appl. No.: **9,773**

[22] Filed: **Jun. 24, 1993**

Related U.S. Application Data

[62] Division of Ser. No. 884,959, May 18, 1992, Pat. No. D. 341,000.

[52] U.S. Cl. **D26/102; D26/128**

[58] Field of Search **362/410-414; D26/93, 102-112, 128-136**

[56] References Cited

PUBLICATIONS

Best Catalog 1988/89, p. 165, Arc Floor Lamp #14. Home Lighting & Accessories, Jul. 1989, p. 109, Easy-lite Arc Lamp.

Home Lighting & Accessories, Dec. 1989, p. 159, Lite Source, Inc. Halogen Lamp Shade.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Timothy T. Tyson

[57] CLAIM

The ornamental design for a multi-shade arc boom lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a multishade arc boom lamp showing my new design;

FIG. 2 is a right side elevational view of FIG. 1, the left side elevational view being the mirror image thereof;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is an enlarged top plan view of a single shade of FIG. 1;

FIG. 7 is an enlarged side elevational view of a single shade of FIG. 1;

FIG. 8 is a bottom plan view of a single shade of FIG. 1;

FIG. 9 is a front elevational view of a second embodiment thereof;

FIG. 10 is a right side elevational view of FIG. 9, the left side elevational view being the mirror image thereof;

FIG. 11 is a top plan view of FIG. 9;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is a rear elevational view of FIG. 9;

FIG. 14 is a front elevational view of a third embodiment thereof;

FIG. 15 is a right side elevational view of FIG. 14, the left side elevational view being the mirror image thereof;

FIG. 16 is a top plan view of FIG. 14;

FIG. 17 is a bottom plan view of FIG. 14;

FIG. 18 is a rear elevational view of FIG. 14;

FIG. 19 is an enlarged top plan view of a single shade of FIG. 14;

FIG. 20 is an enlarged side elevational view of a single shade of FIG. 14;

FIG. 21 is a bottom plan view of a single shade of FIG. 14;


FIG. 22 is a front elevational view of a fourth embodiment thereof;









FIG. 23 is a right side elevational view of FIG. 22, the left side elevational view being the mirror image thereof;






FIG. 24 is a top plan view of FIG. 22;

FIG. 25 is a bottom plan view of FIG. 22; and,

FIG. 26 is a rear elevational view of FIG. 22.










FIG. 14




FIG. 15

FIG. 20





FIG. 19




FIG. 21




FIG. 16




FIG. 18




FIG. 17

