



US00D345228S

United States Patent [19]

Kramer

[11] Patent Number: Des. 345,228

[45] Date of Patent: ** Mar. 15, 1994

[54] MULTI-SHADE ARC BOOM LAMP

[76] Inventor: Barry L. Kramer, 6180 S. St.
Andrews Pl., Los Angeles, Calif.
90047

[**] Term: 14 Years

[21] Appl. No.: 9,773

[22] Filed: Jun. 24, 1993

Related U.S. Application Data

[62] Division of Ser. No. 884,959, May 18, 1992, Pat. No. D.
341,000.

[52] U.S. Cl. D26/102; D26/128

[58] Field of Search 362/410-414;
D26/93, 102-112, 128-136

[56] References Cited

PUBLICATIONS

Best Catalog 1988/89, p. 165, Arc Floor Lamp #14.
Home Lighting & Accessories, Jul. 1989, p. 109, Easy-
lite Arc Lamp.
Home Lighting & Accessories, Dec. 1989, p. 159, Lite
Source, Inc. Halogen Lamp Shade.

Primary Examiner—Susan J. Lucas

Attorney, Agent, or Firm—Timothy T. Tyson

[57] CLAIM

The ornamental design for a multi-shade arc boom
lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a multishade arc
boom lamp showing my new design;
FIG. 2 is a right side elevational view of FIG. 1, the left
side elevational view being the mirror image thereof;
FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is an enlarged top plan view of a single shade of
FIG. 1;FIG. 7 is an enlarged side elevational view of a single
shade of FIG. 1;FIG. 8 is a bottom plan view of a single shade of FIG.
1;FIG. 9 is a front elevational view of a second embodi-
ment thereof;FIG. 10 is a right side elevational view of FIG. 9, the
left side elevational view being the mirror image
thereof;

FIG. 11 is a top plan view of FIG. 9;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is a rear elevational view of FIG. 9;

FIG. 14 is a front elevational view of a third embodi-
ment thereof;FIG. 15 is a right side elevational view of FIG. 14, the
left side elevational view being the mirror image
thereof;

FIG. 16 is a top plan view of FIG. 14;

FIG. 17 is a bottom plan view of FIG. 14;


FIG. 18 is a rear elevational view of FIG. 14;


FIG. 19 is an enlarged top plan view of a single shade of
FIG. 14;FIG. 20 is an enlarged side elevational view of a single
shade of FIG. 14;FIG. 21 is a bottom plan view of a single shade of FIG.
14;FIG. 22 is a front elevational view of a fourth embodi-
ment thereof;FIG. 23 is a right side elevational view of FIG. 22, the
left side elevational view being the mirror image
thereof;

FIG. 24 is a top plan view of FIG. 22;

FIG. 25 is a bottom plan view of FIG. 22; and,

FIG. 26 is a rear elevational view of FIG. 22.








FIG. 9




FIG. 10




FIG. 13




FIG. 11












FIG. 12






FIG. 22




FIG. 23




FIG. 26




FIG. 24




FIG. 25