

US00D345229S

United States Patent

Kramer

Des. 345,229 Patent Number: [11]

Date of Patent: ** Mar. 15, 1994 [45]

[54] MULTI-SHADE ARC BOOM LAMP [76]

Barry L. Kramer, 6180 S. St. Andrews Pl., Los Angeles, Calif.

90047

Term: 14 Years

Appl. No.: 9,774

Inventor:

Filed: [22] Jun. 24, 1993

Related U.S. Application Data

Division of Ser. No. 884,959, May 18, 1992, Pat. No. D. [62] 341,000.

U.S. Cl. D26/102; D26/128 [52]

[58] D26/93, 102-112, 128-136

[56] References Cited

U.S. PATENT DOCUMENTS

OTHER PUBLICATIONS

Best Catalog, 1988/89, p. 65, Arc Floor Lamp #14. Hammacher Schlemmer Holiday Catalog, ©1990, p. 68, Halogen Desklamp.

Home Lighting & Accessories, Jul. 1989, p. 109, "Easylite" arc lamp.

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm-Timothy T. Tyson

[57] **CLAIM**

The ornamental design for a multi-shade arc boom lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a multi-shade arc boom lamp showing my new design;

FIG. 2 is a right side elevational view of FIG. 1, the left side elevational view being the mirror image thereof;

FIG. 3 is a top plan view of FIG. 1;

FIG. 4 is a bottom plan view of FIG. 1;

FIG. 5 is a rear elevational view of FIG. 1;

FIG. 6 is an enlarged top plan view of a single shade of FIG. 1;

FIG. 7 is an enlarged side elevational view of a single shade of FIG. 1;

FIG. 8 is a bottom plan view of a single shade of FIG.

FIG. 9 is a front elevational view of a second embodiment thereof;

FIG. 10 is a right side elevational view of FIG. 9, the left side elevational view being the mirror image thereof;

FIG. 11 is a top plan view of FIG. 9;

FIG. 12 is a bottom plan view of FIG. 9;

FIG. 13 is a rear elevational view of FIG. 9;

FIG. 14 is a front elevational view of a third embodiment thereof;

FIG. 15 is a right side elevational view of FIG. 14, the left side elevational view being the mirror image thereof;

FIG. 16 is a top plan view of FIG. 14;

FIG. 17 is a bottom plan view of FIG. 14;

FIG. 18 is a rear elevational view of FIG. 14;

FIG. 19 is an enlarged top plan view of a single shade of FIG. 14;

FIG. 20 is an enlarged side elevational view of a single shade of FIG. 14;

FIG. 21 is a bottom plan view of a single shade of FIG. 14;

FIG. 22 is a front elevational view of a fourth embodiment thereof:

FIG. 23 is a right side elevational view of FIG. 22, the left side elevational view being the mirror image thereof;

FIG. 24 is a top plan view of FIG. 22;

FIG. 25 is a bottom plan view of FIG. 22;

FIG. 26 is a rear elevational view of FIG. 22;

FIG. 27 is a front elevational view of a fifth embodiment thereof;

FIG. 28 is a right side elevational view of FIG. 27, the left side elevational view being the mirror image thereof;

FIG. 29 is a top plan view of FIG. 27;


FIG. 30 is a bottom plan view of FIG. 27;

FIG. 31 is a rear elevational view of FIG. 27;

FIG. 32 is an enlarged top plan view of a single shade of FIG. 27;

FIG. 33 is an enlarged side elevational view of a single shade of FIG. 27;

(Description continued on next page.)



DESCRIPTION

FIG. 34 is a bottom plan view of a single shade of FIG. 27;

FIG. 35 is a front elevational view of a sixth embodiment thereof;

FIG. 36 is a right side elevational view of FIG. 35, the

left side elevational view being the mirror image thereof;

FIG. 37 is a top plan view of FIG. 35;

FIG. 38 is a bottom plan view of FIG. 35; and,

FIG. 39 is a rear elevational view of FIG. 35.

