



US00D345292S

United States Patent [19]

[11] Patent Number: **Des. 345,292**

Tipton

[45] Date of Patent: **** Mar. 22, 1994**

[54] **SECURITY RESTRAINT**

[76] Inventor: **Tommy Tipton, 500 Michigan Pl.,
West Palm Beach, Fla. 33409**

[**] Term: **14 Years**

[21] Appl. No.: **830,253**

[22] Filed: **Feb. 5, 1992**

[52] U.S. Cl. **D8/333**

[58] Field of Search **D8/330-331,
D8/333; 70/14-16**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 263,201	3/1982	Finn	D8/333
1,823,697	9/1931	Nenstiehl	70/15 X
3,392,554	7/1968	Williamson	70/16
3,423,871	1/1969	Foley	70/16
4,249,401	2/1981	Daleo	70/16

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—S. Michael Bender

[57] **CLAIM**

The ornamental design for a security restraint, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a security restraint showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is an enlarged left side elevational view thereof;


FIG. 4 is an enlarged right side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is an inverted bottom, front, and right side perspective view thereof.

The vertical chain element in the views is understood to be of indeterminate length.






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7