



US00D345306S

United States Patent [19]

Bareiss

[11] Patent Number: Des. 345,306

[45] Date of Patent: ** Mar. 22, 1994

[54] COMBINED BOTTLE AND CAP DESIGN APPLICATION

[76] Inventor: **Raymond E. Bareiss**, 1033 Stillman, Eugene, Oreg. 97404

[**] Term: **14 Years**

[21] Appl. No.: **821,618**

[22] Filed: **Jan. 14, 1992**

[52] U.S. Cl. **D9/522; D9/529**

[58] Field of Search **D9/522, 529, 516, 523, D9/544, 565, 546, 567, 572, 575, 510, 511, 512, 341, 347; D6/495; 215/1 R, 1 C**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 25,856 8/1896 Helmer D9/522 X
D. 35,322 11/1901 Roth D9/575
D. 239,596 4/1976 Dogliotti D9/522 X
D. 313,346 1/1991 Fiore D9/516 X
D. 324,817 3/1992 Bareiss D9/529
D. 333,230 2/1993 Bareiss D6/495

Primary Examiner—Bernard Ansher

Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.

DESCRIPTION

FIG. 1 is a top, front and right side perspective view of the combined bottle and cap showing my new design;
FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 6 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 5;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 7;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 9;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 11;

FIG. 13 is a top, front and left side perspective view thereof;

FIG. 14 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap;

FIG. 15 is a top, rear and right side perspective view thereof;

FIG. 16 is a top plan view thereof which is identical to the bottom plan view thereof;

FIG. 17 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 18 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 17;

FIG. 19 is a right side elevation view thereof;

FIG. 20 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 19;

FIG. 21 is a rear elevation view thereof;

FIG. 22 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 21;

FIG. 23 is a left side elevation view thereof;

FIG. 24 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 23;

FIG. 25 is a top, front and left side perspective view thereof;

FIG. 26 is a bottom plan view of the cap of the first embodiment shown without the bottle for clarity of illustration;

FIG. 27 is a top plan view of the bottle of the first embodiment shown without the cap for clarity of illustration;

FIG. 28 is a bottom plan view of the cap of the second embodiment shown without the bottle for clarity of illustration; and,

FIG. 29 is a top plan view of the bottle of the second embodiment shown without the cap for clarity of illustration.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12





FIG. 13






FIG. 16




FIG. 15




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 28




FIG. 27




FIG. 29

