



US00D345352S

# United States Patent [19]

[11] Patent Number: **Des. 345,352**

**Kaneko**

[45] Date of Patent: **\*\* Mar. 22, 1994**

[54] **FACSIMILE**

- D. 314,955 2/1991 Watanabe ..... D14/118
- D. 315,345 3/1991 Hara et al. .... D14/118
- D. 331,923 12/1992 Hiroki et al. .... D14/118

[75] Inventor: **Takuji Kaneko, Daito, Japan**

[73] Assignee: **Funai Electric Co., Ltd., Daito, Japan**

*Primary Examiner*—Theodore M. Shooman  
*Attorney, Agent, or Firm*—Lackenbach Siegel Marzullo  
Aronson & Greenspan

[\*\*] Term: **14 Years**

[21] Appl. No.: **1,981**

[57] **CLAIM**

[22] Filed: **Nov. 25, 1992**

The ornamental design for a facsimile, as shown and described.

[30] **Foreign Application Priority Data**

May 26, 1992 [JP] Japan ..... 4-15505

[52] U.S. Cl. .... **D14/118**

[58] Field of Search ..... 358/400-404;  
D14/116, 118, 124, 299

**DESCRIPTION**

FIG. 1 is a perspective view of my facsimile;  
FIG. 2 is a perspective view thereof, with the receiver off the hook and the document tray in an open position;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a left side elevational view thereof;  
FIG. 7 is a rear elevational view thereof; and,  
FIG. 8 is a bottom plan view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 300,139 7/1989 Nishio ..... D14/118
- D. 313,983 1/1991 Hara ..... D14/118





FIG.1




FIG.2






FIG. 3




FIG. 4




FIG.5




FIG.6




FIG. 7




FIG. 8

