



US00D345380S

United States Patent [19]

[11] Patent Number: **Des. 345,380**

Wear

[45] Date of Patent: **** Mar. 22, 1994**

[54] **SUPPORT BRACE FOR A MOBILE SIGN**

| | | | | |
|-----------|---------|----------|-------|--------|
| 1,838,230 | 12/1931 | Marsh | | 40/617 |
| 2,890,536 | 6/1959 | Sly | | 40/617 |
| 2,924,036 | 2/1960 | Rossiter | | 40/617 |

[75] Inventor: **Stuart C. W. Wear**, Minnetonka, Minn.

Primary Examiner—Wallace R. Burke
Assistant Examiner—Marcus Jackson
Attorney, Agent, or Firm—Leo Gregory

[73] Assignee: **Popco, Inc.**, Minneapolis, Minn.

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **6,740**

The ornamental design for a support brace for a mobile sign, as shown and described.

[22] Filed: **Apr. 5, 1993**

[52] U.S. Cl. **D20/42; D11/141**

DESCRIPTION

[58] **Field of Search** 40/584, 606, 607, 608, 40/611, 617, 618, 624, 124, 124.1; D10/109; D11/141, 142; D20/10, 39, 40, 41, 42

FIG. 1 is a top plan view showing my new design; FIG. 2 is a leading side elevational view, the other sides being identical; FIG. 3 is a side elevational view with my design being in inverted position, the other like sides being identical; FIG. 4 is a bottom plan view of my new design; and, FIG. 5 is a perspective view as seen from the front, top and left of my new design.

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|------------|--------|------------|-------|---------|
| D. 189,658 | 1/1961 | Cannon | | D10/109 |
| 949,538 | 2/1910 | Igelstroem | | 40/617 |
| 1,635,915 | 7/1927 | White | | 40/617 |




FIG. 1





FIG. 3

FIG. 2





FIG. 4






FIG. 5