



US00D345462S

United States Patent [19]
Davidson

[11] **Patent Number: Des. 345,462**
[45] **Date of Patent: ** Mar. 29, 1994**

[54] **INFANT CARRIER**

[76] **Inventor: Kenny W. Davidson, 4124 Munford
Giltedge Rd., Brighton, Tenn. 38011**

[**] **Term: 14 Years**

[21] **Appl. No.: 920,052**

[22] **Filed: Jul. 27, 1992**

[52] **U.S. Cl. D3/213; D2/719;
D3/271**

[58] **Field of Search D2/25, 278, 279, 285;
D3/31, 66; D6/596, 597, 598; 2/69.5; 5/413,
417, 418, 420**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 84,513	6/1931	Boten	D2/279
D. 159,921	8/1950	Perry	D2/279
D. 180,434	6/1957	Ambes	D2/279
D. 252,308	7/1979	Ochwat	D2/25
D. 266,970	11/1982	Lilbob	D3/66
D. 269,658	7/1983	Bor	D3/31
D. 271,819	12/1983	Rhomberg	D2/278
D. 294,421	3/1988	Le	D2/278
D. 300,681	4/1989	DeMars	D2/25
D. 305,844	2/1990	Chang	D6/598
D. 319,680	9/1991	Reda	D2/278
D. 328,665	8/1992	McNaughton	D2/25
2,628,358	2/1953	Neils	224/158
2,689,672	9/1954	Thompson	224/158

OTHER PUBLICATIONS

"Just for Kids"; p. 32 Sneaker Snuggle bag on lower right of page.


Primary Examiner—A. Hugo Word
Assistant Examiner—Celia A. Murphy
Attorney, Agent, or Firm—Walker, McKenzie & Walker

[57] **CLAIM**

The ornamental design for an infant carrier, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an infant carrier, showing a first embodiment of my new design;
 FIG. 2 is a top plan view of the infant carrier of FIG. 1;
 FIG. 3 is a right side elevational view of the infant carrier of FIG. 1, the left side being a substantial mirror image except for the protruding tongue;
 FIG. 4 is a bottom plan view of the infant carrier of FIG. 1;
 FIG. 5 is a rear elevation of the infant carrier of FIG. 1;
 FIG. 6 is a front elevation of the infant carrier of FIG. 1;
 FIG. 7 is a perspective view of an infant carrier, showing a second embodiment of my new design;
 FIG. 8 is a top plan view of the infant carrier of FIG. 7;
 FIG. 9 is a right side elevation of the infant carrier of FIG. 7, the left side being a substantial mirror image except for the protruding tongue and cap rear;
 FIG. 10 is a bottom plan view of the infant carrier of FIG. 7;
 FIG. 11 is a rear elevation of the infant carrier of FIG. 7;
 FIG. 12 is a front elevation of the infant carrier of FIG. 7;
 FIG. 13 is a perspective view of an infant carrier, showing a third embodiment of my new design;
 FIG. 14 is a top plan view of the infant carrier of FIG. 13;
 FIG. 15 is a right side elevation of the infant carrier of FIG. 13, the left side being a substantial mirror image;
 FIG. 16 is a bottom plan view of the infant carrier of FIG. 13;
 FIG. 17 is a rear elevation of the infant carrier of FIG. 13; and,
 FIG. 18 is a front elevation of the infant carrier of FIG. 13.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18