



US00D345495S

# United States Patent [19]

[11] Patent Number: **Des. 345,495**

**Priddy**

[45] Date of Patent: **\*\* Mar. 29, 1994**

[54] **DRILL BIT FOR RETRIEVING BROKEN BOLTS**

[76] Inventor: **Daniel E. Priddy, R#2 Box 421, Stokesdale, N.C. 27357**

[\*\*] Term: **14 Years**

[21] Appl. No.: **802,456**

[22] Filed: **Dec. 5, 1991**

[52] U.S. Cl. .... **D8/70**

[58] Field of Search ..... **408/223, 222, 229, 230; 227/120, 127, 128, 130, 132; D8/70**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 318,227	7/1991	Halm .....	D9/515
4,713,990	12/1987	Poiling .....	81/53.2
4,777,850	10/1988	Polonsky .....	81/53.2
4,831,902	5/1989	McClure .....	81/53.2

**OTHER PUBLICATIONS**

Illinois cat. dated May 24, 1965, p. 28 Drill bit series No. 73400.

*Primary Examiner*—Nelson C. Holtje  
*Assistant Examiner*—J. H. Musgrove  
*Attorney, Agent, or Firm*—Terry M. Gernstein

[57] **CLAIM**

The ornamental design for a drill bit for retrieving broken bolts, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the drill bit for retrieving broken bolts embodying the design of the present invention;

FIG. 2 is a front elevational view thereof, the rear being a mirror image of the front shown in FIG. 2;

FIG. 3 is a side elevational view thereof, the side opposite being a mirror image of the side shown in FIG. 3;

FIG. 4 is a top plan view thereof; and,

FIG. 5 is a bottom view thereof.





FIG.1.




FIG. 2.



FIG. 4.




FIG. 5.




FIG. 3.