

US00D345505S

United States Patent [19]

Bareiss

[11] Patent Number: Des. 345,505

[45] Date of Patent: ** Mar. 29, 1994

[54]	COMBINED BOTTLE AND CAP		
[76]	Inventor:	Raymond E. Bareiss, 1033 Stillman, Eugene, Oreg. 97404	
[**]	Term:	14 Years	
[21]	Appl. No.:	821,619	
_		Jan. 14, 1992 D9/529; D9/516;	
[58]	Field of Sea	D9/522 arch D9/529, 516, 522, 523,	

[56] References Cited

U.S. PATENT DOCUMENTS

D9/544, 565, 546, 567, 572, 511, 510, 512;

D6/495; 215/1 R, 1 C

D. 165,671	1/1952	Stengren	D9/575 X
D. 263,281	3/1982	Smith	D9/529
		Thompson	
D . 311,132	10/1990	Dinand	D9/529
		Lunderman	
		Plunkett	
		Bareiss	
		Bareiss	

Primary Examiner—Bernard Ansher
Assistant Examiner—Lucy Lieberman

[57] CLAIM

The ornamental design for a combined bottle and cap, as shown and described.

DESCRIPTION

FIG.1 is a top, front and right side perspective view of the combined bottle and cap showing my new design; FIG. 2 is a top, rear and right side perspective view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 6 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 5;

FIG. 7 is a right side elevation view thereof;

FIG. 8 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 7;

FIG. 9 is a rear elevation view thereof;

FIG. 10 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 9;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 11;

FIG. 13 is a top, front and left side perspective view thereof;

FIG. 14 is a top, front and right side perspective view of a second embodiment of the combined bottle and cap; FIG. 15 is a top, rear and right side perspective view thereof;

FIG. 16 is a top plan view thereof which is identical to the bottom plan view thereof;

FIG. 17 is a front elevation view of the combined bottle and cap shown in an exploded condition;

FIG. 18 is an elevation view of the combined bottle and cap shown rotated clockwise 45 degrees with respect to FIG. 17;

FIG. 19 is a right side elevation view thereof;

FIG. 20 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 19;

FIG. 21 is a rear elevation view thereof;

FIG. 22 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 21;

FIG. 23 is a left side elevation view thereof;

FIG. 24 is an elevation view thereof shown rotated clockwise 45 degrees with respect to FIG. 23;


FIG. 25 is a top, front and left side perspective view thereof;


FIG. 26 is a bottom plan view of the cap of the first embodiment shown without the bottle for clarity of illustration;

FIG. 27 is a top plan view of the bottle of the first embodiment shown without the cap for clarity of illustration;

FIG. 28 is a bottom plan view of the cap of the second embodiment shown without the bottle for clarity of illustration; and

FIG. 29 is a top plan view of the bottle of the second embodiment shown without the cap for clarity of illustration.





, FIG. 8





FIG. 9

Mar. 29, 1994



F1G. 10




FIG. II




FIG. 12





FIG. 13






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20





FIG. 21



Mar. 29, 1994

FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 28




FIG. 27




FIG. 29

