



US00D345546S

# United States Patent [19]

[11] Patent Number: Des. 345,546

Lin et al.

[45] Date of Patent: \*\* Mar. 29, 1994

## [54] AUDITORY JACK

[75] Inventors: **Jih-Bin Lin**, Chung Ho; **Kee-Haut Nyia**, Taipei, both of Taiwan

[73] Assignee: **Pan-International Industrial Corp.**, Taipei, Taiwan

[\*\*] Term: **14 Years**

[21] Appl. No.: **935,731**

[22] Filed: **Aug. 27, 1992**

[52] U.S. Cl. .... **D13/133**

[58] Field of Search ..... 439/76, 78, 607, 641, 439/647, 668; D13/133, 151

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 298,826	12/1988	Nakajo et al. ....	D13/133
D. 314,941	2/1991	Amachi et al. ....	D13/133
3,403,369	9/1968	Steiff et al. ....	439/84 X
3,683,331	8/1972	Overholser .....	439/519
4,743,205	5/1988	Mitani et al. ....	439/78
4,802,860	2/1989	Kikuta .....	439/83 X
5,180,315	1/1993	Nagashima .....	D13/133 X

## OTHER PUBLICATIONS

Connectors on p. 165 of 1991 *MCM Electronics* catalog 27.

Connectors on p. 169 of 1991 *MCM Electronics* catalog 27.

Connectors on p. 170 of 1991 *MCM Electronics* catalog 27.

*Primary Examiner*—Wallace R. Burke

*Assistant Examiner*—Joel Sincavage

*Attorney, Agent, or Firm*—Jacobson, Price, Holman & Stern

## [57] CLAIM

The ornamental design for an auditory jack, as shown and described.

## DESCRIPTION

FIG. 1 is a front and top perspective view of an auditory jack showing our new design;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a top plan view thereof; and,

FIG. 7 is a bottom plan view thereof.






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7