



US00D345613S

United States Patent [19]

[11] Patent Number: **Des. 345,613**

Berghel

[45] Date of Patent: **** Mar. 29, 1994**

[54] **BEAM**

[75] Inventor: **Jan Berghel, Säffle, Sweden**

[73] Assignee: **Aktiebolaget Electrolux, Sweden**

[**] Term: **14 Years**

[21] Appl. No.: **759,071**

[22] Filed: **Sep. 13, 1991**

[30] **Foreign Application Priority Data**
 Mar. 27, 1991 [SE] Sweden 910717

[52] U.S. Cl. **D25/126**

[58] Field of Search 52/723, 729, 726.2;
 D25/126-127, 132-134

3,241,285 3/1966 Baroni D25/126
 3,283,464 11/1966 Litzka 52/729
 3,333,389 8/1967 Lichti 52/729
 4,128,978 12/1978 Beynon 52/729

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris Clark
Attorney, Agent, or Firm—Pearne, Gordon, McCoy & Granger

[57] CLAIM

The ornamental design for a beam, as shown and described.


DESCRIPTION

FIG. 1 is a perspective view;
 FIG. 2 is a front view;
 FIG. 3 is a rear view;
 FIG. 4 is a top view;
 FIG. 5 is a bottom view;
 FIG. 6 is a side view;
 FIG. 7 is a front fragmentary view of an end of the beam; and,
 FIG. 8 is a rear fragmentary view of the end of the beam.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 273,711 5/1984 Young D25/126
 1,431,086 10/1922 Ault 52/723
 1,979,642 11/1934 Sahlberg 52/723
 3,036,676 5/1962 Potzsch 52/723
 3,078,971 2/1963 Wallerstein, Jr. D25/126






FIG. 1




FIG. 6



FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 7




FIG. 8