



US00D345724S

# United States Patent [19]

[11] Patent Number: **Des. 345,724**

Bonko et al.

[45] Date of Patent: **\*\* Apr. 5, 1994**

[54] **TREAD**

[75] Inventors: **Mark L. Bonko**, Uniontown; **Loran C. Lopp, Jr.**, Wadsworth, both of Ohio

D. 63,458	12/1923	Denman	.....	D12/146
D. 72,619	5/1927	Greer	.....	D12/148
D. 98,897	3/1936	Storrs	.....	D12/139
D. 287,839	1/1987	Minata	.....	D12/146
1,050,798	1/1913	Bowden	.....	D12/134
1,384,244	7/1921	Disbrow	.....	D12/134

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

*Primary Examiner*—James M. Gandy  
*Attorney, Agent, or Firm*—David L. King

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **1,648**

The ornamental design for a tire tread, as shown and described.

[22] Filed: **Nov. 19, 1992**

[52] U.S. Cl. .... **D12/148**

**DESCRIPTION**

[58] Field of Search ..... 152/209 R, 209 B, 209 D;  
D12/136, 137, 146-151


FIG. 1 is a perspective view showing the tire tread; FIG. 2 is a front elevational view thereof; FIG. 3 is a side elevational view thereof; and, FIG. 4 is an enlarged fragmentary view of a portion of the tire tread as illustrated in FIG. 2.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 54,725	3/1920	Christy	.....	D12/146
D. 57,664	4/1921	Kirch	.....	D12/149
D. 60,853	4/1992	Denman	.....	D12/136

The broken line showing of the tire sidewall in FIGS. 1 and 3 of the drawing is for illustrative purposes only and forms no part of the claimed design.






FIG-1




FIG-2




FIG-3




FIG-4