



US00D346119S

# United States Patent [19]

[11] Patent Number: **Des. 346,119**

Weinstock

[45] Date of Patent: **\*\* Apr. 19, 1994**

[54] **COMBINATION WATCH HOLDER AND WATER-TIGHT CONTAINER**

[75] Inventor: **Jay Weinstock, Fort Lee, N.J.**

[73] Assignee: **Jayline International Corporation, Brooklyn, N.Y.**

[\*\*] Term: **14 Years**

[21] Appl. No.: **706,119**

[22] Filed: **May 28, 1991**

[52] U.S. Cl. .... **D10/31; D10/2; D10/30**

[58] Field of Search ..... **368/10; 206/269, 811; D3/30.1; D9/337; D7/602; D10/1-40, 122-128**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 214,579 7/1969 Hanhart ..... D10/128 X
- D. 243,975 4/1977 Persson ..... D87/1 R
- D. 245,818 9/1977 Persson ..... D2/400
- D. 262,497 1/1982 Chan ..... D3/30.1
- D. 284,421 7/1986 Siris ..... D3/30.1
- D. 304,878 12/1989 Persson ..... D3/30.1
- D. 309,718 8/1990 Fotovat ..... D10/10
- D. 313,185 12/1990 Sullivan ..... D10/2

**OTHER PUBLICATIONS**

*Mechanix Illustrated*-1949-p. 80-Vanity case at second from bottom.

*Primary Examiner*-Nelson C. Holtje  
*Attorney, Agent, or Firm*-Gottlieb, Rackman & Reisman

[57] **CLAIM**

The ornamental design for a combination watch holder and water-tight container, as shown and described.

**DESCRIPTION**

FIG. 1 is an exploded view of a first embodiment of a combination watch holder and water-tight container of my invention with the cover removed;

FIG. 2 is a top perspective view of the first embodiment of the combination watch holder and water-tight container;

FIG. 3 is a side view of the first embodiment of the combination watch holder and water-tight container;

FIG. 4 is a top perspective view of a second embodiment of the combination watch holder and water-tight container of my invention;

FIG. 5 is an exploded view of the second embodiment of the combination watch holder and water-tight container with the cover removed;

FIG. 6 is a side view of the second embodiment of the combination watch holder and water-tight container;


FIG. 7 is a top perspective view of a third embodiment of the combination watch holder and water-tight container of my invention;

FIG. 8 is a top view of the third embodiment of a combination watch holder and water-tight container;

FIG. 9 is an exploded view of the fourth embodiment of the combination watch holder and water tight container of my invention; and,

FIG. 10 is a side view of the cover of the fourth embodiment of my invention.

The broken-line showings of a cord in FIGS. 1-6 are for environmental purposes only and forms no part of the claimed design.






FIG. 3




FIG. 2




FIG. 1




FIG. 6




FIG. 5




FIG. 4




FIG. 7




FIG. 8




FIG. 10





FIG. 9