



US00D346119S

United States Patent [19]

[11] Patent Number: Des. 346,119

Weinstock

[45] Date of Patent: ** Apr. 19, 1994

[54] COMBINATION WATCH HOLDER AND WATER-TIGHT CONTAINER

[75] Inventor: Jay Weinstock, Fort Lee, N.J.

[73] Assignee: Jayline International Corporation, Brooklyn, N.Y.

[**] Term: 14 Years

[21] Appl. No.: 706,119

[22] Filed: May 28, 1991

[52] U.S. Cl. D10/31; D10/2; D10/30

[58] Field of Search 368/10; 206/269, 811; D3/30.1; D9/337; D7/602; D10/1-40, 122-128

[56] References Cited

U.S. PATENT DOCUMENTS

D. 214,579 7/1969 Hanhart D10/128 X
D. 243,975 4/1977 Persson D87/1 R
D. 245,818 9/1977 Persson D2/400
D. 262,497 1/1982 Chan D3/30.1
D. 284,421 7/1986 Siris D3/30.1
D. 304,878 12/1989 Persson D3/30.1
D. 309,718 8/1990 Fotovat D10/10
D. 313,185 12/1990 Sullivan D10/2

OTHER PUBLICATIONS

Mechanix Illustrated—1949—p. 80—Vanity case at second from bottom.

Primary Examiner—Nelson C. Holtje

Attorney, Agent, or Firm—Gottlieb, Rackman & Reisman

[57] CLAIM

The ornamental design for a combination watch holder and water-tight container, as shown and described.

DESCRIPTION

FIG. 1 is an exploded view of a first embodiment of a combination watch holder and water-tight container of my invention with the cover removed;

FIG. 2 is a top perspective view of the first embodiment of the combination watch holder and water-tight container;

FIG. 3 is a side view of the first embodiment of the combination watch holder and water-tight container;

FIG. 4 is a top perspective view of a second embodiment of the combination watch holder and water-tight container of my invention;

FIG. 5 is an exploded view of the second embodiment of the combination watch holder and water-tight container with the cover removed;

FIG. 6 is a side view of the second embodiment of the combination watch holder and water-tight container;


FIG. 7 is a top perspective view of a third embodiment of the combination watch holder and water-tight container of my invention;

FIG. 8 is a top view of the third embodiment of a combination watch holder and water-tight container;

FIG. 9 is an exploded view of the fourth embodiment of the combination watch holder and water tight container of my invention; and,

FIG. 10 is a side view of the cover of the fourth embodiment of my invention.

The broken-line showings of a cord in FIGS. 1-6 are for environmental purposes only and forms no part of the claimed design.






FIG. 3




FIG. 2




FIG. 1




FIG. 6




FIG. 5




FIG. 4




FIG. 7




FIG. 8




FIG. 10





FIG. 9