

US00D346164S

United States Patent [19]

Shirakawa et al.

[11] Patent Number: Des. 346,164

[45] Date of Patent: ** Apr. 19, 1994

[54]	PORTABLE RADIO TELEPHONE		
[75]	Inventors:	both Kon	iaki Shirakawa; Takashi Kajita, of Takaidohigashi; Akihiko no, Tokyo; Takaharu Ando, gasaki, all of Japan
[73]	Assignee:	Kabushiki Kaisha Toshiba, Kawasaki, Japan	
[**]	Term:	14 3	rears
[21]	Appl. No.:	948,	936
[22] [52] [58]	Field of Se 379/433	arch	. 15, 1992
[56] References Cited			
U.S. PATENT DOCUMENTS			
Ι	2. 306,298 2/	1986 1990 1991	Takahashi et al

D. 336,087 6/1993 Siddoway et al. D14/148 X

The International Magazine for Designs, "Design", 2 pages, Jan. 1991.

Magazine extract showing the products of Kyocera, 1 page, Feb. 22, 1990.

Japanese Official Gazette No. 755223, pp. 133-134, Feb. 15, 1989.

Japanese Official Gazette No. 612420, pp. 107-108, Nov. 19, 1983.

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch

Attorney, Agent, or Firm—Oblon, Spivak, McClelland, Maier & Neustadt

[57]

CLAIM

The ornamental design for a portable radio telephone, as shown.

DESCRIPTION

FIG. 1 is a front, top and right side perspective view of a portable radio telephone showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left side elevational view thereof;

FIG. 7 is a right side elevational view thereof;

FIG. 8 is a front elevational view thereof, the broken line showing of displayed characters being for illustrative purposes only;


FIG. 9 is a front elevational view thereof with upper and lower units closed in a storage position;

FIG. 10 is a right side elevational view with upper and lower units closed in a storage position;

FIG. 11 is a top plan view thereof with upper and lower units closed in a storage position;

FIG. 12 is a bottom plan view thereof with upper and lower units closed in a storage position; and,

FIG. 13 is a front, bottom and right side perspective view thereof with upper and lower units closed in a storage position.









FIG. 2







F1G. 4



F1 G. 5



Apr. 19, 1994



F1G.9

U.S. Patent




FIG.10





FIG.11



F1G.12

