

## US00D346228S

## United States Patent [19]

## Harley et al.

Patent Number: Des. 346,228

Date of Patent: \*\* Apr. 19, 1994 [45]

[54]	LIGHT SOURCE FOR USE WITH AN INDUSTRIAL BORESCOPE	
[75]	Inventors:	Jennifer M. Harley; Andrew W. Towch, both of Essex, United Kingdom
[73]	Assignee:	Keymed (Medical & Industrial Equipment) Ltd., Essex, United Kingdom
[**]	Term:	14 Years
[21]	Appl. No.:	813,415
[22]	Filed:	Dec. 30, 1991
[30]	Foreign Application Priority Data	
Aug. 16, 1991 [GB] United Kingdom		
[52]	Field of Search	
[20]	362/190, 191, 196, 197, 198, 199, 200, 201, 202,	
203; 356/241; D26/24, 37–50		
[56]	References Cited	
U.S. PATENT DOCUMENTS		
		1975 Chao
		1982 Corbin 356/241
	5,052,801 10/	1991 Hayes et al 356/241 X
FOREIGN PATENT DOCUMENTS		

OTHER PUBLICATIONS

struction manual 8 pages (date appears to be Nov. 1991 based on printing code).

Brochure of Classen and Co. entitled "Das Modulare Endoskop—System", 6 pages (date unspecified).

Olumpus brochure entitled "Light Sources", single page (date appears to be Mar. 1990 based on code).

Olumpus brochure entitled "Borescopes", single page (date appears to be Aug. 1991).

Copy of photograph entitled "84/619 Micro Live with B'Scope".

Copy of a photograph entitled "84/2159 Structure Inspection System in Use" (date unspecified).

Primary Examiner—Susan J. Lucas Attorney, Agent, or Firm-Beveridge, DeGrandi, Weilacher & Young

**CLAIM** [57]

The ornamental design for a light source for use with an industrial borescope, as shown and described.

## DESCRIPTION


FIG. 1 is a top, perspective view of a light source for use with an industrial borescope showing our new design with the view including a showing of a first side of the design;

FIG. 2 is a side elevational view of the opposite side of the design of FIG. 1;

FIG. 3 is a first end elevational view of the design of FIG. 1;

FIG. 4 is the opposite end elevational view of the design of FIG. 1; and,

FIG. 5 is a bottom plan view of the design of FIG. 1.








FIG. 2.



U.S. Patent





F16.5.

