



US00D346495S

United States Patent [19]
Morrissey

[11] **Patent Number: Des. 346,495**
[45] **Date of Patent: ** May 3, 1994**

[54] **SHOULDER HOLSTER FOR REMOTE CONTROL UNIT**

4,608,940 9/1986 Bulin 114/315
4,901,852 2/1990 King 206/320
4,951,817 8/1990 Barletta et al. 206/305

[76] **Inventor: Daniel R. Morrissey, 1804 Commercial St., East Weymouth, Mass. 02189**

Primary Examiner—A. Hugo Word
Assistant Examiner—Doris V. Coles
Attorney, Agent, or Firm—Weingarten, Schurgin, Gagnebin & Hayes

[**] **Term: 14 Years**

[21] **Appl. No.: 1,416**

[57] **CLAIM**

The ornamental design for a shoulder holster for remote control unit, as shown and described.

[22] **Filed: Nov. 13, 1992**

[52] **U.S. Cl. D3/218; D3/222**

[58] **Field of Search D3/100, 101, 106; 224/206, 257, 260, 264, 911, 901, 243, 151, 904, 243; 150/152**

DESCRIPTION


FIG. 1 is a right side perspective view of a shoulder holster for remote control unit, showing my new design, the broken line showing of the remote control unit is for illustrative purposes only and forms no part of the claimed design;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 280,863	10/1985	Leath	D2/400
2,443,397	6/1948	Myres	224/243 X
3,797,715	3/1974	Scialdone	224/206
4,041,394	8/1977	Pate	325/102
4,260,089	4/1981	Daleo	224/911 X
4,580,707	4/1986	Shoemaker	224/911 X

FIG. 2 is a right-side elevational view thereof;
FIG. 3 is a left-side elevational view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a back view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7