



US00D346567S

United States Patent [19]

[11] Patent Number: **Des. 346,567**

Rimon

[45] Date of Patent: **** May 3, 1994**

[54] **PASSIVE INFRA-RED SENSOR**

D. 332,227 1/1993 Kancko D10/78
D. 339,079 9/1993 Behlke D10/104 X

[75] Inventor: **Yehuda Rimon, Ramat Hasharon, Israel**

Primary Examiner—Alan P. Douglas
Assistant Examiner—Antoine D. Davis
Attorney, Agent, or Firm—Darby & Darby

[73] Assignee: **Visonic Ltd., Tel Aviv, Israel**

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **10,055**

The ornamental design for a passive infra-red sensor, as shown and described.

[22] Filed: **Jun. 28, 1993**

[52] U.S. Cl. **D10/106**

DESCRIPTION


[58] Field of Search 340/500, 506, 540, 541,
340/573, 574, 575, 576, 577, 578, 589-600, 693;
D10/104, 106

FIG. 1 is a front view;
FIG. 2 is a rear view;
FIG. 3 is a right-side view;
FIG. 4 is a left-side view;
FIG. 5 is a bottom view;
FIG. 6 is a top view;
FIG. 7 is an isometric view; and,
FIG. 8 is an isometric view.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 302,951 8/1989 Kotlicki et al. D10/106
D. 320,952 8/1989 Soloway et al. D10/106






FIG. 2




FIG. 1




FIG. 4




FIG. 3




FIG. 6




FIG. 5




FIG. 8




FIG. 7