



US00D346581S

United States Patent [19]

[11] Patent Number: **Des. 346,581**

Tattari

[45] Date of Patent: **** May 3, 1994**

[54] **BATTERY FOR HAND TELEPHONE**

[75] Inventor: **Jouko Tattari, Salo, Finland**

[73] Assignee: **Nokia Mobile Phones, Ltd., Salo, Finland**

[**] Term: **14 Years**

[21] Appl. No.: **860,736**

[22] Filed: **Mar. 26, 1992**

[52] U.S. Cl. **D13/103; D14/240**

[58] Field of Search **379/428, 433, 58, 441; 429/99; D13/103, 104, 107, 108, 109; D14/140, 137, 138, 240**

| | | | |
|------------|---------|------------------|---------|
| D. 328,888 | 8/1992 | Zhu | D13/103 |
| D. 329,040 | 9/1992 | Seki et al. | D13/103 |
| D. 331,566 | 12/1992 | Seymor | D13/103 |
| D. 332,785 | 1/1993 | Nagele | D14/138 |

Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Seed and Berry

[57] CLAIM

The ornamental design for a battery for a hand telephone, as shown and described.

DESCRIPTION


FIG. 1 is a rear isometric view of a battery for a hand telephone showing our new design;
FIG. 2 is a front isometric view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.

[56]

References Cited

U.S. PATENT DOCUMENTS

| | | | |
|------------|--------|--------------------|-----------|
| D. 243,617 | 3/1977 | Kaye | D13/103 |
| D. 279,286 | 6/1985 | Smith | D14/240 |
| D. 295,511 | 3/1988 | Scheid et al. | D14/138 X |
| D. 305,717 | 1/1990 | Soren et al. | D14/138 X |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7



FIG. 8