



US00D346581S

United States Patent [19]

[11] Patent Number: **Des. 346,581**

Tattari

[45] Date of Patent: **** May 3, 1994**

[54] **BATTERY FOR HAND TELEPHONE**

[75] Inventor: **Jouko Tattari, Salo, Finland**

[73] Assignee: **Nokia Mobile Phones, Ltd., Salo, Finland**

[**] Term: **14 Years**

[21] Appl. No.: **860,736**

[22] Filed: **Mar. 26, 1992**

[52] U.S. Cl. **D13/103; D14/240**

[58] Field of Search **379/428, 433, 58, 441; 429/99; D13/103, 104, 107, 108, 109; D14/140, 137, 138, 240**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 243,617 3/1977 Kaye D13/103
- D. 279,286 6/1985 Smith D14/240
- D. 295,511 3/1988 Scheid et al. D14/138 X
- D. 305,717 1/1990 Soren et al. D14/138 X

- D. 328,888 8/1992 Zhu D13/103
- D. 329,040 9/1992 Seki et al. D13/103
- D. 331,566 12/1992 Seymor D13/103
- D. 332,785 1/1993 Nagele D14/138


Primary Examiner—Alan P. Douglas
Assistant Examiner—Jeffrey Asch
Attorney, Agent, or Firm—Seed and Berry

[57] **CLAIM**

The ornamental design for a battery for a hand telephone, as shown and described.

DESCRIPTION

FIG. 1 is a rear isometric view of a battery for a hand telephone showing our new design;
FIG. 2 is a front isometric view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7



FIG. 8