



US00D346616S

# United States Patent [19]

[11] Patent Number: **Des. 346,616**

Mouri

[45] Date of Patent: **\*\* May 3, 1994**

[54] **LIGHT FOR A VIDEO CAMERA**

D. 283,331	4/1986	Hattori et al.	.....	D16/240
3,192,378	6/1965	Oldenburger	.....	362/183
4,823,241	4/1989	Trattner	.....	362/183
5,095,408	3/1992	Chen	.....	354/126

[75] Inventor: **Akinari Mouri, Tokyo, Japan**

[73] Assignee: **Sony Corporation, Tokyo, Japan**

[\*\*] Term: **14 Years**

*Primary Examiner*—Bernard Ansher  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Lewis H. Eslinger; Jay H. Maioli

[21] Appl. No.: **855,941**

[22] Filed: **Mar. 23, 1992**

### [57] CLAIM

### [30] Foreign Application Priority Data

Oct. 1, 1991 [JP] Japan ..... 3-29611

[52] U.S. Cl. .... **D16/239; D26/24; D26/37**

The ornamental design for a light for a video camera, as shown and described.

[58] **Field of Search** ..... 354/126, 288; 362/3, 362/16, 17, 18, 183, 194, 195; D16/237, 239, 240; D26/24, 37


### DESCRIPTION

### [56] References Cited



#### U.S. PATENT DOCUMENTS

D. 190,691	6/1961	Ackermann	.....	D16/239
D. 233,562	11/1974	Prochnow et al.	.....	D16/240

FIG. 1 is a top plan view of a light for a video camera, showing my new design;  
FIG. 2 is a left-side elevational view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a right-side elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a top, front and right-side perspective view thereof.




*FIG. 1*




*FIG. 2*


*FIG. 3*




*FIG. 6*



*FIG. 4*



*FIG. 5*





*FIG. 7*

