



US00D346635S

# United States Patent [19]

[11] Patent Number: **Des. 346,635**

Vang

[45] Date of Patent: **\*\* May 3, 1994**

[54] **TWO SHOTS BLOW GUN**

2,580,613 1/1952 Seibel et al. .... 124/62  
4,054,120 10/1977 Foley ..... 124/62

[76] Inventor: **Leng Vang**, 7860 Cedar Springs Way,  
Sacramento, Calif. 95832

*Primary Examiner*—A. Hugo Word  
*Assistant Examiner*—Doris V. Coles  
*Attorney, Agent, or Firm*—S. Michael Bender

[\*\*] Term: **14 Years**

[21] Appl. No.: **664,957**

[57] **CLAIM**

[22] Filed: **Mar. 5, 1991**

The ornamental design for a two shots blow gun, as shown and described.

[52] U.S. Cl. .... **D22/102**

[58] Field of Search ..... 124/85, 73, 62, 83;  
42/76.01, 77, 78; 248/62; 239/DIG. 2; 24/25;  
D22/102, 108

### DESCRIPTION

[56] **References Cited**

#### U.S. PATENT DOCUMENTS

- D. 216,308 12/1969 Hirsch ..... D22/102
- D. 282,765 2/1986 Shipman ..... D22/102
- 286,513 10/1883 Wengenroth ..... 124/62
- 856,813 6/1907 Schultz ..... 124/62
- 1,785,765 12/1930 Burton ..... 42/76.01 X
- 2,512,313 6/1950 Dritz ..... 124/62 X
- 2,527,195 10/1950 Paulve ..... 42/76.01 X

FIG. 1 is a front elevational view of the two shots blow gun showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof; and,  
FIG. 7 is a perspective view thereof, the broken line showing of steel pins protruding from paper cones is for illustrative purposes only and forms no part of the claimed design.







FIG. 1

FIG. 2




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*




FIG. 7

