



US00D34662S

United States Patent [19]

[11] Patent Number: **Des. 346,662**

Larsen et al.

[45] Date of Patent: **** May 3, 1994**

[54] **COMBINED STACKED TEMPERATURE REGULATOR, POWER SUPPLY AND GEL DRYER FOR ELECTROPHORESIS**

4,986,891	1/1991	Sarrine et al.	204/182.8 X
5,069,769	12/1991	Fujimiya et al.	204/182.8
5,185,071	2/1993	Serwer et al.	204/182.8 X
5,230,781	7/1993	Middendorf et al.	204/299 RX

[75] Inventors: **Duke Larsen, Lake Geneva; Robert W. Dunst, Cedarburg; Timothy G. J. Ehr, Menomonee Falls; Stephen H. Gorski, Wauwatosa; Michael E. Hansen; Brian P. Walsh, both of Pewaukee, all of Wis.**

OTHER PUBLICATIONS

Fisher Scientific 1991/1992 Catalog "Biotechnology" pp. 102, 105-107 @1990 Ex. Room.
VWR Scientific Catalog "Biotechnology Electrophoresis" pp. 1535, 1537 @1989 Ex. Room.

[73] Assignee: **Fotodyne Incorporated, Hartland, Wis.**

Primary Examiner—A. Hugo Word
Assistant Examiner—I. Simmons
Attorney, Agent, or Firm—Michael, Best & Friedrich

[**] Term: **14 Years**

[57] CLAIM

[21] Appl. No.: **820,391**

The ornamental design for a combined stacked temperature regulator, power supply and gel dryer for electrophoresis, as shown and described.

[22] Filed: **Jan. 14, 1992**

[52] U.S. Cl. **D24/233**

DESCRIPTION


[58] Field of Search 165/104; 204/299 R, 204/182.8; D24/233

FIG. 1 is a perspective view showing our new design; FIG. 2 is a front elevational view; FIG. 3 is a side elevational view, the opposite side elevational view being a mirror image thereof; FIG. 4 is a top plan view; FIG. 5 is a reduced rear elevational view; and, FIG. 6 is a reduced bottom plan view.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 315,952	4/1991	Berninger et al.	D24/233
2,884,367	4/1959	Karler et al.	D24/233 X
4,773,984	9/1988	Flesher et al.	D24/233 X






Fig. 1




Fig. 3




Fig. 2

Fig. 4




Fig. 5




Fig. 6

