



US00D346751S

# United States Patent [19] Emori

[11] Patent Number: **Des. 346,751**  
[45] Date of Patent: **\*\* May 10, 1994**

[54] **WOOD MOISTURE METER**

5,179,347 1/1993 Hawkins ..... 324/696

[75] Inventor: **Motohiko Emori, Tokyo, Japan**

### FOREIGN PATENT DOCUMENTS

[73] Assignee: **Kett Electric Laboratory, Tokyo, Japan**

32-13885 of 0000 Japan .  
150248 of 0000 Japan .

[\*\*] Term: **14 Years**

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Antoine D. Davis  
*Attorney, Agent, or Firm*—Pollock, Vande Sande & Priddy

[21] Appl. No.: **952,781**

[22] Filed: **Sep. 30, 1992**

### [57] CLAIM

### [30] Foreign Application Priority Data

Apr. 8, 1992 [JP] Japan ..... 4-10288

The ornamental design for a wood moisture meter, as shown.

[52] U.S. Cl. .... **D10/56; D10/78; D10/96; D10/101**

### DESCRIPTION

[58] Field of Search ..... 73/73; 324/663, 664, 324/686, 689, 690-696; D10/56, 78, 96, 101

FIG. 1 is a front elevational view of wood moisture meter showing my new design;  
FIG. 2 is a right side view;  
FIG. 3 is a left side view;  
FIG. 4 is a plan view;  
FIG. 5 is a bottom view; and,  
FIG. 6 is a front, top and left side perspective view thereof.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

4,052,667 10/1977 Schwartz .  
4,531,087 7/1985 Larson ..... 324/696




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

