



US00D346755S

# United States Patent [19]

Soloway

[11] Patent Number: Des. 346,755

[45] Date of Patent: \*\* May 10, 1994

[54] **KEYPAD FOR A SECURITY ALARM SYSTEM**

[75] Inventor: **Richard L. Soloway**, Amityville, N.Y.

[73] Assignee: **Alarm Lock Systems, Inc.**, Amityville, N.Y.

[\*\*] Term: **14 Years**

[21] Appl. No.: **711,440**

[22] Filed: **Jun. 6, 1991**

[52] U.S. Cl. .... **D10/106**

[58] Field of Search ..... 340/541, 542, 551, 571, 340/572, 573, 590, 693; D10/104, 106, 121; D18/1, 2, 6, 7, 11

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D.312,221	11/1990	Steele et al. ....	D10/106
D. 326,619	6/1992	Soloway .....	D10/106
4,581,605	4/1986	Vogt .....	340/506
4,755,792	7/1988	Pezzolo et al. ....	340/506

5,004,999 4/1991 Hartmann et al. .... 340/506

*Primary Examiner*—Wallace R. Burke


*Assistant Examiner*—Marcus Jackson

[57] **CLAIM**

The ornamental design for a keypad for a security alarm system, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the keypad for a security alarm system in the closed position;  
 FIG. 2 is a front plan view of the security system keypad in the closed position;  
 FIG. 3 is a right end view of the security system keypad in the closed position;  
 FIG. 4 is a left end view of the security system keypad in the closed position;  
 FIG. 5 is a top plan view of the security system keypad in the open position;  
 FIG. 6 is a bottom plan view of the security system keypad in the open position; and,  
 FIG. 7 is a front view of the security system keypad in the open position.







FIG. 1

FIG. 2








FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7