



US00D346755S

United States Patent [19]

Soloway

[11] Patent Number: **Des. 346,755**

[45] Date of Patent: **** May 10, 1994**

[54] **KEYPAD FOR A SECURITY ALARM SYSTEM**

[75] Inventor: **Richard L. Soloway, Amityville, N.Y.**

[73] Assignee: **Alarm Lock Systems, Inc., Amityville, N.Y.**

[**] Term: **14 Years**

[21] Appl. No.: **711,440**

[22] Filed: **Jun. 6, 1991**

[52] U.S. Cl. **D10/106**

[58] Field of Search 340/541, 542, 551, 571, 340/572, 573, 590, 693; D10/104, 106, 121; D18/1, 2, 6, 7, 11

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|---------------------|---------|
| D.312,221 | 11/1990 | Steele et al. | D10/106 |
| D. 326,619 | 6/1992 | Soloway | D10/106 |
| 4,581,605 | 4/1986 | Vogt | 340/506 |
| 4,755,792 | 7/1988 | Pezzolo et al. | 340/506 |

5,004,999 4/1991 Hartmann et al. 340/506

Primary Examiner—Wallace R. Burke


Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a keypad for a security alarm system, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the keypad for a security alarm system in the closed position;
 FIG. 2 is a front plan view of the security system keypad in the closed position;
 FIG. 3 is a right end view of the security system keypad in the closed position;
 FIG. 4 is a left end view of the security system keypad in the closed position;
 FIG. 5 is a top plan view of the security system keypad in the open position;
 FIG. 6 is a bottom plan view of the security system keypad in the open position; and,
 FIG. 7 is a front view of the security system keypad in the open position.







FIG. 1

FIG. 2






FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7