



US00D346755S

United States Patent [19]
Soloway

[11] **Patent Number: Des. 346,755**
[45] **Date of Patent: ** May 10, 1994**

[54] **KEYPAD FOR A SECURITY ALARM SYSTEM**

[75] **Inventor:** Richard L. Soloway, Amityville, N.Y.

[73] **Assignee:** Alarm Lock Systems, Inc., Amityville, N.Y.

[**] **Term:** 14 Years

[21] **Appl. No.:** 711,440

[22] **Filed:** Jun. 6, 1991

[52] **U.S. Cl.** D10/106

[58] **Field of Search** 340/541, 542, 551, 571,
340/572, 573, 590, 693; D10/104, 106, 121;
D18/1, 2, 6, 7, 11

[56] **References Cited**

U.S. PATENT DOCUMENTS

D.312,221	11/1990	Steele et al.	D10/106
D. 326,619	6/1992	Soloway	D10/106
4,581,605	4/1986	Vogt	340/506
4,755,792	7/1988	Pezzolo et al.	340/506

5,004,999 4/1991 Hartmann et al. 340/506

Primary Examiner—Wallace R. Burke

Assistant Examiner—Marcus Jackson

[57] **CLAIM**

The ornamental design for a keypad for a security alarm system, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the keypad for a security alarm system in the closed position;

FIG. 2 is a front plan view of the security system keypad in the closed position;


FIG. 3 is a right end view of the security system keypad in the closed position;

FIG. 4 is a left end view of the security system keypad in the closed position;

FIG. 5 is a top plan view of the security system keypad in the open position;

FIG. 6 is a bottom plan view of the security system keypad in the open position; and,

FIG. 7 is a front view of the security system keypad in the open position.







FIG. 1

FIG. 2






FIG. 3




FIG. 4

FIG. 5





FIG. 6






FIG. 7