



US00D346774S

United States Patent [19]

[11] Patent Number: **Des. 346,774**

Brayer et al.

[45] Date of Patent: **** May 10, 1994**

[54] **TIRE TREAD**

[75] Inventors: **Randall R. Brayer**, Uniontown; **Rudy E. Consolacion**, Copley, both of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **937,196**

[22] Filed: **Aug. 31, 1992**

[52] U.S. Cl. **D12/147**

[58] Field of Search **152/209 R, 209 B, 209 D; D12/136, 138, 145-151**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 288,307 2/1987 Ono D12/146
- D. 321,852 11/1991 Guspodin D12/147

OTHER PUBLICATIONS

Tire Review, Aug. 1991, p. 50, Hankook 826 Perfor-

mance Touring Radial Tire, top left side of page, & Cooper Cobra GTH Tire, center of page.

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—T. P. Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.


DESCRIPTION

FIG. 1 is a front elevational view of a tire tread showing our new design, it being understood that the tread pattern is repeated uniformly throughout the circumference thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, it being understood that the opposite side is a mirror image of that shown; and,

FIG. 4 is an enlarged fragmentary front view thereof.






FIG-1




FIG-2




FIG-3




FIG-4